NT BOOK

ensions			Contents	Reference to last Measurement
	Breadth 5	Depth 6	7	8
06				
3				
9				
3				
043				
000				
164 =				

Bill No 1st and Final

M. A. R. 57 (Rule 116)

Measurement Book

No. B 256127

Serial No. BR-231 | 31-7-14

Name of Work Improvements to Roads and drains at Dynasty Layout in ward No. 6 From ..... To .....

Name of Contractor of nature of Agency K.R.I.D.L

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Work code No: 006-14-000040						
	Work order No: 398/13-14						
	Est Amt: 30.00 lakhs.						
	Date of Recording: 9.7.2014.						
	1) Earth work excavation by manual means in hard soil involving an average horizontal throw upto 2m and an average lift upto 0.5m excavated surface leveled and sides cleanly etc complete						
	Deliling of drains (R 1)	2	30.00	0.45	0.35	9.45	
		2	10.10	0.45	0.45	4.09	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	CR (2)	2	30.00	0.45	0.30	8.10	
		2	30.00	0.45	0.35	9.45	
		2	30.00	0.45	0.35	9.45	
		2	30.00	0.45	0.34	9.18	
		2	30.00	0.45	0.30	8.10	
	CR (3)	2	33.30	0.45	0.35	10.49	
	CR (4)	2	30.00	0.45	0.34	9.18	
		2	30.00	0.45	0.30	8.10	
		2	30.00	0.45	0.35	9.45	
		2	30.00	0.45	0.45	12.15	
		2	30.00	0.45	0.35	9.45	
		2	30.00	0.45	0.40	10.80	
		2	30.00	0.45	0.35	9.45	
		2	30.00	0.45	0.45	12.15	
		2	13.20	0.45	0.30	3.56	

M.

Serial No. .....

Name of Work ..... Fr

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Numb
1	2	3
	Berm cutting CR (1)	2
		2
	CR (2)	2
		2
		2
		2
	CR (3)	
	CR (4)	

NT BOOK

ensions		Contents	Reference to last Measurement
Breadth 5	Depth 6	7	8
0.45	0.30	8.10	
0.45	0.35	9.45	
0.45	0.35	9.45	
0.45	0.34	9.18	
0.45	0.30	8.10	
0.45	0.35	10.49	
0.45	0.34	9.18	
0.45	0.30	8.10	
0.45	0.35	9.45	
0.45	0.45	12.15	
0.45	0.35	9.45	
0.45	0.40	10.80	
0.45	0.35	9.45	
0.45	0.45	12.15	
0.45	0.30	3.56	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 256128

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	Berm cutting CR①	2	30.00	1.25	0.25	18.75	
		2	10.10	1.20	0.30	7.27	
	CR②	2	30.00	1.20	0.20	15.00	
		2	30.00	1.05	0.25	15.75	
		2	30.00	1.25	0.30	22.50	
		2	30.00	1.05	0.20	12.60	
		2	30.00	1.20	0.20	14.40	
	CR③	2	33.30	1.20	0.25	19.98	
	CR④	2	30.00	1.15	0.30	20.70	
		2	30.00	1.25	0.25	18.75	
		2	30.00	1.50	0.30	27.00	
		2	30.00	1.40	0.35	29.40	
		2	30.00	1.80	0.20	21.60	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		2	30.00	1.00	0.20	12.00	
		2	30.00	1.25	0.25	18.75	
		2	30.00	1.00	0.30	18.00	
		2	13.20	1.15	0.20	6.07	
		2	30.00	1.20	0.25	18.00	
		2	30.00	1.25	0.30	23.00	
						202.82 sm	
		G	20.3/sm			N3981=00	
							3) Removing 13.5 block chevron grout including etc complete
	CE①	2	30.00	-	1.35	81.00	
		2	16.10	-	1.35	21.72	
	CE②	2	30.00	-	1.35	81.00	
		2	30.00	-	1.35	81.00	

M. A. I
Mea

Serial No. .....
Name of Work ..... From...
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Number
1	2	3
		2 2 2 2 2 2
	CE ②	2 2 2 2 2 2
	CE ①	2 2 2 2 2 2
		2 2 2 2 2 2

T BOOK

nsions		Contents	Reference to last Measurement
Breadth 5	Depth 6	7	8
1·00	0·20	12·00	
1·25	0·25	18·75	
1·00	0·30	18·00	
1·15	0·20	6·07	
1·20	0·25	18·00	
1·25	0·30	22·80	
		505·85 cum	
	@	90·72/cum	45,891=00
cking etc complete			
-	1·35	81·00	
-	1·35	27·27	
-	1·35	81·00	
-	1·35	81·00	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 256129

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
		2	30·00	-	1·35	81·00	
		2	30·00	-	1·35	81·00	
		2	30·00	-	1·35	81·00	
	CR ⑤	2	33·30	-	1·35	89·81	
	CR ⑥	2	30·00	-	1·35	81·00	
		2	30·00	-	1·35	81·00	
		2	30·00	-	1·35	81·00	
		2	30·00	-	1·35	81·00	
		2	30·00	-	1·35	81·00	
		2	30·00	-	1·35	81·00	
		2	30·00	-	1·35	81·00	
		2	30·00	-	1·35	81·00	
		2	30·00	-	1·35	81·00	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		2	13·20	–	1·35	35·64	
		2	30·00	–	1·35	81·00	
		2	30·00	–	1·35	81·00	
		2	30·00	–	1·35	81·00	
		2	25·00	–	1·35	67·50	
						1595=00 sq.m	
					@	50·11/sq.m	79825=00
3)	Refixing stone slass & drains end pointing in CM (1:3) ~~of~~ complete						
	CR①	2	30·00	–	1·35	81·00	
		2	10·00	–	1·35	27·00	
	CR②	2	30·00	–	1·35	81·00	
		2	30·00	–	1·35	81·00	
		2	30·00	–	1·35	81·00	

M. A
Me

Serial No. .....
Name of Work ..... Fron
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Number
1	2	3
		2
		2
	CR ⑤	2
	CR ④	2
		2
		2
		2
		2
		2
		2
		2
		2
		2

MENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
3·20	–	1·35	35·64	
30·00	–	1·35	81·00	
30·00	–	1·35	81·00	
30·00	–	1·35	81·00	
25·00	–	1·35	67·50	
			1595 = no sq	
		@	50·11/sq	79825=00
d pointing in CM (1:3) ~~as~~ complete				
30·00	–	1·35	81·00	
10·00	–	1·35	27·00	
30·00	–	1·35	81·00	
30·00	–	1·35	81·00	
30·00	–	1·35	81·00	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 256130

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
		2	30·00	–	1·35	81·00	
		2	30·00	–	1·35	81·00	
	CR ⑥	2	33·00	–	1·35	89·10	
	CR ⑤	2	30·00	–	1·35	81·00	
		2	30·00	–	1·35	81·00	
		2	30·00	–	1·35	81·00	
		2	30·00	–	1·35	81·00	
		2	30·00	–	1·35	81·00	
		2	30·00	–	1·35	81·00	
		2	30·00	–	1·35	81·00	
		2	30·00	–	1·35	81·00	
		2	30·00	–	1·35	81·00	
		2	10·00	–	1·35	27·00	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
						1274 = 00 Sq.m	
					@	70.04/Sq.m	89,259=00
4)	providing Granite slabs of selected quality roughly dressed and laid in cement mortar (1:6) including fixing curing etc complete 7.5 cm thick.						
		2	25.00	-	1.65	82.50	
		2	22.00	-	1.65	72.60	
		2	15.00	-	1.65	49.50	
		2	17.00	-	1.65	56.10	
		2	15.00	-	1.65	49.50	
		2	18.00	-	1.65	59.40	
		2	28.00	-	1.65	92.40	
						459.00 Sq.m	
					@	343.44/Sq.m	157639=00

C & P Noted

Serial No. .....

Name of Work ..... F

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Numb
1	2	3
5)	Scarifying existing stone bituminous surface picking material with lead etc com	
	CR ①	1
		1
	CR ②	1
		1
		1
		1

ENT BOOK

Dimensions			Contents	Reference to last Measurement
gth	Breadth 5	Depth 6	7	8
			1274 = 00 Sqm	
			@ 70.04/Sqm	89,259=00

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	30.00	5.10	–	153.00	
	CR ③	1	33.30	$\frac{(5.5+5.4)}{2}$	–	181.49	
	CR ④	1	30.00	$\frac{(6.3+6.0)}{2}$	–	184.50	
		1	30.00	$\frac{(6.0+5.6)}{2}$	–	174.00	
		1	30.00	$\frac{(5.6+5.8)}{2}$	–	171.00	
		1	30.00	$\frac{(5.8+5.2)}{2}$	–	165.00	
		1	30.00	$\frac{(5.2+5.5)}{2}$	–	160.50	
		1	30.00	$\frac{(5.5+5.6)}{2}$	–	166.50	
		1	30.00	5.60	–	168.00	
		1	30.00	$\frac{(5.6+5.2)}{2}$	–	162.00	
		1	13.30	$\frac{(5.2+6.6)}{2}$	–	78.47	

M.

Serial No. .....

Name of Work ..... F

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Numb
1	2	3
		1

09/07/14

NT BOOK

ensions			Contents	Reference to last Measurement
	Breadth 5	Depth 6	7	8
	5.40	–	153.00	
	(5.5+5.4)/2	–	181.49	
	(6.3+6.0)/2	–	184.50	
	(6.0+5.6)/2	–	174.00	
	(5.6+5.8)/2	–	171.00	
	(5.8+5.2)/2	–	165.00	
	(5.2+5.5)/2	–	160.50	
	(5.5+5.6)/2	–	166.50	
	5.60	–	168.00	
	(5.6+5.2)/2	–	162.00	
	(5.2+6.6)/2	–	78.47	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 256132

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
		1	30.00	(5.2+5.0)/2	–	153.00	
		1	30.00	(5.0+4.8)/2	–	147.00	
		1	30.00	4.80	–	144.00	
		1	30.00	(4.8+4.7)/2	–	142.50	
		1	10.00	(4.7+4.5)/2	–	46.00	
						3245.00 Sq	
					@	72.79/Sq	2,36,204=00

09/07/14

9/7/14.

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
	Measurement continued on: 20.7.2014						
	b) providing laying spreading and compacting graded stone aggregates to wet mix macadam specification including the material with water at one in mechanical mix plant carriage etc complete						
	CR ①	1	30.00	$\frac{(5.8+5.4)}{2}$	0.20	33.60	
		1	10.10	$\frac{(5.4+5.5)}{2}$	0.20	11.01	
	CR ②	1	30.00	$\frac{(5.0+5.3)}{2}$	0.20	30.90	
		1	30.00	$\frac{(5.3+5.4)}{2}$	0.20	32.10	
		1	30.00	$\frac{(5.4+5.2)}{2}$	0.20	31.80	
		1	30.00	$\frac{(5.2+5.1)}{2}$	0.20	30.90	
		1	30.00	5.10	0.20	30.60	

M.

Serial No. .....

Name of Work ..... Fr

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Numb
1	2	3
	CR ③	1
	CR ④	1
		1
		1

MENT BOOK

Dimensions			Contents	Reference to last Measurement
ength 4	Breadth 5	Depth 6	7	8
tinued on:		20.7.2014		
compacting graded stone aggregates &				
ncluding the material with water at one				
es complete				
30.00	(5.8+5.4)/2	0.20	33.60	
10.10	(5.4+5.5)/2	0.20	11.01	
30.00	(5.0+5.3)/2	0.20	30.90	
30.00	(5.3+5.4)/2	0.20	32.10	
30.00	(5.4+5.2)/2	0.20	31.80	
30.00	(5.2+5.1)/2	0.20	30.90	
30.00	5.40	0.20	30.60	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 256133

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	CR ③	1	33.30	(5.5+5.4)/2	0.20	36.30	
	CR ④	1	30.00	(6.3+6.0)/2	0.20	36.90	
		1	30.00	(6.0+5.6)/2	0.20	34.80	
		1	30.00	(5.6+5.8)/2	0.20	34.20	
		1	30.00	(5.8+5.2)/2	0.20	33.00	
		1	30.00	(5.2+5.5)/2	0.20	32.10	
		1	30.00	(5.5+5.6)/2	0.20	33.30	
		1	30.00	5.60	0.20	33.60	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	30.00	$\frac{(5.6+5.2)}{2}$	0.20	32.40	
		1	13.30	$\frac{(5.2+6.6)}{2}$	0.20	15.69	
		1	30.00	$\frac{(5.2+5.0)}{2}$	0.20	30.60	
		1	30.00	$\frac{(5.0+4.8)}{2}$	0.20	29.40	
		1	30.00	4.80	0.20	28.80	
		1	30.00	$\frac{(4.8+4.7)}{2}$	0.20	28.50	
		1	10.00	$\frac{(4.7+4.5)}{2}$	0.20	9.20	
						649.00 sq.m	
						@ 1121.04/sq.m	727555.20

20/7/14.

Serial No. .....

Name of Work ..... Fr

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date	Full description, etc, of work	Numb
1	2	3
	Measurement	
7)	cleaning the existing WBM material and other foreign with brooms etc complete.	
8)	providing and applying pr & high porosity over prepared any average output of 75 ton	

NT BOOK

ensions		Contents	Reference to last Measurement
Breadth 5	Depth 6	7	8
(56+52)/2	0.20	32.40	
(5.2+6.6)/2	0.20	15.69	
(5.2+5.0)/2	0.20	30.60	
(5.0+4.8)/2	0.20	29.40	
4.80	0.20	28.80	
(4.8+4.7)/2	0.20	28.50	
(4.7+4.5)/2	0.20	9.20	
		649.00 sq m	
	@	1121.04/sq m	727555=00

M. A. R. 57 (Rule 116)
Measurement Book
No. B
256134

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions: Number 3	Length 4	Breadth 5	Depth 6	Contents 7	Reference to last Measurement 8
	Measurement continued on: 28.7.2014						
7)	cleaning the existing WBM road surface including removing & binding material and other foreign matter with wire brushes and small picks sweeping with brooms etc complete.						
	Qty vide Item No. (65)					3245.00 Sqm	
	@					10.53/Sqm	34,170=00
8)	providing and applying primer coat from 12.2 to 14.60 kg per 10 sqm for surface of high porosity over prepared surface of granular base with cut back MC-70 or any average output of 75 tonnes per hour using crushed aggregates of specified gr

20/7/14.

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		Qty vide Item No: (05)				3245.00 Sqm	
						@ 142.07/Sqm	461017.00
	8) providing and laying semi dense bituminous concrete 25mm thick with 100-120 TPH batch type HMP producing an average output of 75 tonnes per hour using crushed aggregates of specified grading pre mixed etc complete						
	CR (1)	1	30.00	$\frac{(5.8+5.4)}{2}$	0.025	4.20	
		1	30.00	$\frac{(5.4+5.5)}{2}$	0.025	1.38	
	CR (2)	1	30.00	$\frac{(5.0+5.3)}{2}$	0.025	3.86	
		1	30.00	$\frac{(5.3+5.4)}{2}$	0.025	4.01	
		1	30.00	$\frac{(5.4+5.2)}{2}$	0.025	3.98	

M. A.
Me

Serial No. .....
Name of Work ..... From
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Number
1	2	3
		1
		1
	CR (3)	1
	CR (4)	1
		1
		1
		1
		1

MENT BOOK

Dimensions			Contents	Reference to last Measurement
Length 4	Breadth 5	Depth 6	7	8
vide Item No. (05)			3245-00 Sqm	
			@ 142.07/Sq	461017=00
bituminous concrete 25mm thick				
HP producing an average output of 75 tonnes				
specified grading pre mixed etc complete				
30.00	(5.8+5.4)/2	0.025	4.20	
0.00	(5.4+5.5)/2	0.025	1.38	
30.00	(5.0+5.3)/2	0.025	3.86	
0.00	(5.3+5.4)/2	0.025	4.01	
0.00	(5.4+5.2)/2	0.025	3.88	

M. A. R. 57 (Rule 116)
Measurement Book

No. B 256135

Serial No. .....

Name of Work ..... From..... To.....

Name of Contractor of nature of Agency .....

Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
		1	30.00	(5.2+5.1)/2	0.025	3.86	
		1	30.00	5.10	0.025	3.83	
	CR (5)	1	33.00	(5.5+5.4)/2	0.025	4.54	
	CR (4)	1	30.00	(6.3+6.0)/2	0.025	4.35	
		1	30.00	(6.0+5.6)/2	0.025	4.35	
		1	30.00	(5.6+5.8)/2	0.025	4.28	
		1	30.00	(5.8+5.2)/2	0.025	4.13	
		1	30.00	(5.2+5.3)/2	0.025	4.01	

MEASUREMENT BOOK

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
		1	30.00	$\frac{(5.5+5.6)}{2}$	0.025	4.16	
		1	30.00	5.60	0.025	4.20	
		1	30.00	$\frac{(5.6+5.2)}{2}$	0.025	4.05	
		1	13.30	$\frac{(5.2+6.0)}{2}$	0.025	1.96	
	CR-5	1	30.00	$\frac{(5.2+5.0)}{2}$	0.025	3.83	
		1	30.00	$\frac{(5.0+4.8)}{2}$	0.025	3.68	
		1	30.00	$\frac{(4.8+4.8)}{2}$	0.025	3.60	
		1	30.00	$\frac{(4.8+4.7)}{2}$	0.025	3.56	
		1	10.00	$\frac{(4.7+4.5)}{2}$	0.025	1.15	
						81.13 cum	80 9788=00
						@ 9981.36/cum	

C&PC 28/7/2014

Serial No. .....
Name of Work ..... Fr
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Numb
1	2	3
6)	Lead for disposal of debris means including loading an	

C&PC MOHUD

certificate: certified that the

IENT BOOK

Dimensions			Contents	Reference to last Measurement
gth 4	Breadth 5	Depth 6	7	8
·00	$\frac{(3.5+3.6)}{2}$	0.025	4.16	
·00	3.60	0.025	4.20	
·00	$\frac{(3.6+3.2)}{2}$	0.025	4.05	
·30	$\frac{(3.2+6.6)}{2}$	0.025	1.96	
·00	$\frac{(3.2+3.0)}{2}$	0.025	3.83	
·00	$\frac{(3.0+4.8)}{2}$	0.025	3.68	
·00	$\frac{(4.8+4.8)}{2}$	0.025	3.60	
·00	$\frac{(4.8+4.7)}{2}$	0.025	3.56	
·00	$\frac{(4.7+4.5)}{2}$	0.025	1.15	
			81.13 cu	80 9788=00

C&PC 28/7/2014

@ 9881.36/cu

M. A. R. 57 (Rule 116)
Measurement Book

No. B 256136

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date	Full description, etc, of work	Dimensions				Contents	Reference to last Measurement
		Number	Length	Breadth	Depth		
1	2	3	4	5	6	7	8
b)	lead for disposal of debris shall be payable at carriage rates by mechanical means including loading and unloading etc complete						
						Qty vide Item No: ①	505.85 cu
						@	72.71/cu 36780=00
							2678128=00
						Add KRIDL charges @	11% 294584=00
						Third party inspection charges	1% 26781=00
							28,99,503=00
	certificate: certified that the work done is satisfactorily.						

C&PC
28/7/14

29/7/14

28/7/14 29,72,722

NT BOOK

mensions			Contents	Reference to last Measurement
	Breadth 5	Depth 6	7	8
			ation of work done spot:	
			Asphalt Road	
			25/4/14	

M. A. R. 57 (Rule 116)
Measurement Book

No. B
256137

Serial No. .....
Name of Work ..... From..... To.....
Name of Contractor of nature of Agency .....
Date of commencement of work .....

Date 1	Full description, etc, of work 2	Dimensions				Contents 7	Reference to last Measurement 8
		Number 3	Length 4	Breadth 5	Depth 6		
	29727,727=00				IT - 59454 -		
	448649=00				KSI - 118909 -		
					FD - 193227 -		
	2,24,072=00				Lwr - 29727 -		
					CBR - 2973 -		
					Roy - 42359 -		
					Pen - 2000 -		
					Total - 448649=00		